Speed Queen

COIN & CARD-OPERATED

Topload Washers

SWT221 SWTF21 SWT110 SWT111 SWT520 SWTX21 SWT521 SWTY20 SWT120 SWT121 SWTA21 SWTY21 SWT210 SWTB20 SWTT20 SWT211 SWTB21 SWTT21 SWT220 SWTF20



Speed Queen®

Built Better To Last Longer

LET SpEED QUEEN LEAD THE WAY...

As America's largest commercial laundry equipment manufacturer, Speed Queen stands for innovation. As a leader in laundry technology, our electronically controlled laundry units for coin and card operation will provide you with quality, efficiency, convenience, and flexibility well into the 21st century. Since 1908 we have been committed to our tradition of quality products, backed by superior customer service.

NetMaster™ System

Speed Queen's NetMaster™

System of technologically
advanced laundry
products offer
more flexibility
and accountability
benefits than you ever
thought possible. Now you
can program vend prices,
cycle times, rinse options,
and cycle selections while
auditing machine
operation simply
by touching a
series of

There are three options available to program your machines, manual, Micro-Wand IIIE™ and network with NetMaster™ models.

Whatever your needs, Speed Queen has the right option for you. It's almost like having a washer built to your specifications. Your customers will be amazed at how

> easy and convenient it is to launder garments. Satisfied customers translate into profits for you.

CardMate™ Plus System

Speed Queen introduces a revolution in laundry room convenience, accountability and profitability.

control pads.

The $CardMate^{\mathbf{m}}$ Plus System offers the industry's first

dryers with factory-installed, smart-card reader controls on individual laundry units for cashless operation.

Both you and your customers will benefit from the

convenience of $CardMate^{TTM}$ Plus.



Topload Washers

Improved Out-of-Balance System

Speed Queen's unique Automatic Balance System (ABS) provides the industry's best out-of-balance handling. The liquid-filled balance ring at the top of the tub, coupled with the new innovative suspen-



sion system, means that machines complete wash cycles without interruption, eliminating not only unfinished

wash cycles and unnecessary service calls, but the need for an out-of-balance switch, as well.

High Security System

Breaking into Speed Queen's
Strong Box™ metercase and coin
vault requires more time, energy,
and noise than most vandals care
to risk. Speed Queen washers are
constructed of solid, reinforced
steel for greater strength and
rigidity to deter acts of vandalism. Our innovative meter case
design, with a double-wrapped

steel front, makes it twice as hard to break into. A sturdy steel plate and heavyduty bolts



reinforce the security of the metercase to the washer top.



Durable Stainless Steel Tub



Keep your customers' clothes looking their best longer. Speed Queen's exclusive stainless

steel tub actually becomes smoother with each use, so it won't pill, snag or fray clothes. Stainless steel won't corrode, chip, crack or pit with normal use and it's extremely rust resistant.

100% Front Serviceability



Simple removal of front panel or control hood provides easy access for servicing from installed position, saving you time and money.

Faster Spin Speed

At 710 RPM our topload washer's spin speed is among the highest in the industry. The amount of moisture left in clothes will be far less than other slower-spinning models, resulting in a significant reduction in energy usage—that results in faster customer turnover and higher profits.

Water Fill System

Our new water fill system enables water to flow all the way around the tub as it enters the washer, so that even the most overstuffed loads receive a better wetdown and a better spray rinse. Even oversized loads can get their cleanest!



Water & Energy Efficiency

Designed to save you money, Speed Queen's adjustable water level control gives owners the flexibility to choose water wash/rinse levels to meet the needs of various locations. A simple adjustment behind the control panel enables owners to select from three efficient water level settings. This feature is accessible to owners only.



Control Options



Fully programmable NetMaster™ control



Micro-DISPLAY control (MDC)



Our electro-mechanical control offers water temperature and fabric selector options, along with cycle cue lights that show the user what stage of the wash cycle the washer is in.




Mechanical control

Activation Options



Single Coin Drop





Dual Coin Drop

Its all-metal design reduces coin jamming and provides superior coin validation. Dual coin drop for International use and a USA dual coin conversion are also available.





Card-Activated

Our coin slide option continues to provide the durability you've always relied on.



Coin Slide

YEAR WARRANTY

At Speed Queen, we're confident that our heavy duty commercial washers are built better to last longer and we're offering the following limited warranty to prove it:

Through three years*

Any part on the entire

Through five years*

machine.

The transmission assembly.

Through lifetime*

Stainless steel wash tub.

*Parts only, labor not included.

See Speed Queen Warranty Bond for specifics.

Topload Washer Specifications

| | SWT110- Porcelain Tub SWT111- Stainless Steel Tub | SWT120- Porcelain Tub SWT121- Stainless Steel Tub | SWT210- Porcelain Tub SWT211- Stainless Steel Tub |
|-------------------------------|---|--|--|
| Control | E-mech/short cycle/1 spd./coin | E-mech/short cycle/2 spd./coin | E-mech/long cycle/1 spd./coin |
| Width (in/mm) | 25 5/8" (651 mm) | 25 5/8" (651 mm) | 25 5/8" (651 mm) |
| Depth (in/mm) | 28" (711 mm) | 28" (711 mm) | 28" (711 mm) |
| Height (in/mm) | 43" (1,092 mm) | 43" (1,092 cm) | 43" (1,092 mm) |
| Shipping Weight | 210 lb (95 kg) | 210 lb (95 kg) | 210 lb (95 kg) |
| Cycle Time (maximum) | 18.75 minutes plus fill time | 18.75 minutes plus fill time | 27.5 minutes plus fill time |
| Basket Volume (DOE Cu. Ft.) | 2.52 (71 liters) | 2.52 (71 liters) | 2.52 (71 liters) |
| Agitation Strokes | 67 spm | 67 spm normal 44 spm gentle | 67 spm |
| Spin Speed/Extract | High Speed 710 RPM | High Speed 710 RPM Low Speed 474 RPM | High Speed 710 RPM |
| Motor | 60 Hz – One speed, 1/2 HP reversing for 1725 RPM 50 Hz – One speed,1/2 HP reversing for 1450 RPM | 60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM | 60 Hz – One speed, 1/2 HP reversing for 1725 RPM 50 Hz – One speed, 1/2 HP reversing for 1450 RPM |
| Electrical Voltages Available | 120/60/1 - 15 amp 220/60/1 - 15 amp 230/50/1 - 13 amp 240/50/1 - 10 amp | 120/60/1 - 15 amp | 120/60/1 - 15 amp 230/50/1 - 13 amp |
| Total Water Usage US gallons | 32.4 (122.6 liters) | 32.4 (122.6 liters) | 31.5 (119.2 liters) |
| Agency Approvals | UL, CE | UL, CE | UL, CE |

| | SWT220- Porcelain Tub SWT221- Stainless Steel Tub | SWT520, SWTB20, SWTT20- Porcelain Tub SWTA21, SWT521, SWTB21, SWTX21, SWTT21- Stainless Steel Tub | SWTF20, SWTY20- Porcelain Tub SWTF21, SWTY21- Stainless Steel Tub |
|-------------------------------|---|---|---|
| Control | E-mech/long cycle/2 spd./coin | MDC/EDC/NetMaster/2 spd./coin | MDC/NetMaster/2 spd./card |
| Width (in/mm) | 25 5/8" (651 mm) | 25 5/8" (651 mm) | 25 5/8" (651 mm) |
| Depth (in/mm) | 28" (711 mm) | 28" (711 mm) | 28" (711 mm) |
| Height (in/mm) | 43" (1,092 mm) | 43" (1,092 mm) | 43" (1,092 mm) |
| Shipping Weight | 210 lb (95 kg) | 210 lb (95 kg) | 210 lb (95 kg) |
| Cycle Time (maximum) | 27.5 minutes plus fill time | 27.5 minutes plus fill time; owner adjustable | 27.5 minutes plus fill time; owner adjustable |
| Basket Volume (DOE Cu. Ft.) | 2.52 (71 liters) | 2.52 (71 liters) | 2.52 (71 liters) |
| Agitation Strokes | 67 spm normal 44 spm gentle | 67 spm normal 44 spm gentle | 67 spm normal 44 spm gentle |
| Spin Speed/Extract | High Speed 710 RPM Low Speed 474 RPM | High Speed 710 RPM Low Speed 474 RPM | High Speed 710 RPM Low Speed 474 RPM |
| Motor | 60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM | 60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM 50 Hz – Two speed, 1/2 HP reversing for 1425 or 950 RPM | 60 Hz – Two speed, 1/2 HP reversing for 1725 or 1140 RPM 50 Hz – Two speed, 1/2 HP reversing for 1425 or 950 RPM |
| Electrical Voltages Available | 120/60/1 - 15 amp | 120/60/1 - 15 amp 230/50/1 - 5 amp | 120/60/1 - 15 amp |
| Total Water Usage US gallons | 31.5 (119.2 liters) | 31.5 (119.2 liters) | 31.5 (119.2 liters) |
| Agency Approvals | UL, CE | UL, CE | UL, CE |



www.speedqueen.com

Color options white and bisque; some models available only in white. All models porcelain top and lid. Height to work surface 35 1/2". Water temperatures hot, warm and cold. Cycles normal, permanent press and delicate. The quality management systems at all Alliance Laundry Systems facilities have been awarded ISO 9001certification. Due to continuous product improvements, design and specifications are subject to change without notice. Features and certifications may vary by model.

©Copyright 2003 Alliance Laundry Systems LLC

Click here for pricing

For more info please contact us phone: 1-877-257-4783 1-909-659-1785

e-mail: sales@agapelaundysystems.com

click here to contact us

